

KENT

上海垦特实业有限公司

专业流体控制产品供应商





M12 传感器分线盒

M 12 Sensor-Box

Field attachable

DIN IEC 61076-2-101

M 12-ports	4 6 8
Number of contacts	5
Rated voltage	10-30 VDC
Operating current	4 A
Operating indicator	LED
Protection class	IP 67
Housing material	PA
Contact material	Cu Sn/ Au/ Ni
Temperature range	- 15° C ... + 80° C




Part No.

Channel	4	6	8
Black	J12T4B5-B	J12T6B5-B	J12T8B5-B
Yellow	J12T4B5-Y	J12T6B5-Y	J12T8B5-Y

Field attachable

M 12-ports	4 6 8
Number of contacts	5
Rated voltage	10-30 VDC
Operating current	4 A
Operating indicator	LED
Protection class	IP 67
Housing material	PA
Contact material	Cu Sn/Au/Ni
Temperature range	-15° C ... +80° C



Channel	4	6	8	Cable
Black	J12C4B5P05-B	J12C6B5P05-B	J12C8B5P05-B	PUR 5M
	J12C4B5V05-B	J12C6B5V05-B	J12C8B5V05-B	PVC 5M
Yellow	J12C4B5P05-Y	J12C6B5P05-Y	J12C8B5P05-Y	PUR 5M
	J12C4B5V05-Y	J12C6B5V05-Y	J12C8B5V05-Y	PVC 5M


M8 传感器分线盒

M8 Sensor-Box

Field attachable

DIN IEC 61076-2-101

M12-ports	6 8 10 12
Number of contacts	3
Rated voltage	10-30VDC
Operating current	1.5A Per channel
Operating indicator	LED
Protection class	IP67
Housing material	PA
Contact material	Cu Sn/Au/Ni
Temperature range	-15° C ... +80° C




Part No.				
Channel	6	8	10	12
Black	J08T6B3-B	J08T8B3-B	J08T10B3-B	J08T12B3-B
Yellow	J08T6B3-Y	J08T8B3-Y	J08T10B3-Y	J08T12B3-Y

M8 传感器分线盒

M8 **Sensor-Box**
Field attachable

DIN IEC 61076-2-101

M12-ports	6 8 10 12
Number of contacts	3
Rated voltage	10-30VDC
Operating current	1.5A per channel
Operating indicator	LED
Protection class	IP67
Housing material	PA
Contact material	Cu Sn/Au/Ni
Temperature range	-15° C ... +80° C



Part No.	
----------	--

Channel	6	8	10	12	Cable
Black	J08C6B3P05-B	J08C8B3P05-B	J08C10B3P05-B	J08C12B3P05-B	PUR 5M
	J08C6B3V05-B	J08C8B3V05-B	J08C10B3V05-B	J08C12B3V05-B	PVC 5M
Yellow	J08C6B3P05-Y	J08C8B3P05-Y	J08C10B3P05-Y	J08C12B3P05-Y	PUR 5M
	J08C6B3V05-Y	J08C8B3V05-Y	J08C10B3V05-Y	J08C12B3V05-Y	PVC 5M

KANT
Druckschalter GmbH

压力开关 真空开关



压力继电器 液压阀



压力传感器 压力开关
液位 流量 温度传感器



压力 温度 流量开关
光电传感器 接近开关



压力 温度 流量
开关 传感器



压力 温度开关
蓄能器



DIN43650插头 工业连接器
传感器分线盒



电子-液压



DIN仪表插头
工业连接器



压力 温度 流量 液位
开关 传感器



水阀 定时器



DIN43650插头
压力开关 传感器



流量开关 流量计 水阀



压力传感器



球阀 液压阀



CONTROL PRODUCTS

压力 温度 流量 液位
开关 传感器



防爆液位开关

上海垦特实业有限公司

电话 : 021-36374188 51292285

传真 : 021-51062637 36376232

网站 : [Http://www.shkente.cn](http://www.shkente.cn)

邮箱 : shkente@126.com

服务热线 : 18917054460